Annual Returns form for Health Care Facilities / Common Bio-medical Waste Treatment and Disposal Facility (CBWTF) **PCB ID: 112162** Health Care Facility / CBWTF Name: The Recovery Hospital Indore Year 2020 1 2 Type of Health Care Facility Bedded Hospital Priva > 3 Number of Beds **l**30 License Number and Date of Expiry 78369 23/12/20 4 of License Do you have Captive Treatment 5 O Yes O No Facility? Quantity of Waste Generated or Disposed in Kg per annum (on monthly average basis) 6 Yellow Category 68.83 9.5 7 Red Category 8 0.86 White Category 9 Blue Category 23.25 General Solid Waste 250 10 Details of the Storage, Treatment, Transportation, Processing and Disposal Facility Collection, storage and then given to 11 Details of the on-site storage facility Hoswin incinerator 12 Treatment Facility DSN Quantity of Recyclable Waste sold to Authorized Recyclers after Treatment 0 13 (in kg / Year) Number of Vehicles used for 0 14 Collection and Transportation of **Biomedical Waste** 15 Details of Incineration Ash and ETP 0 Sludge generated and disposed during the Treatment of waste (in Kg / Year)

16	Name of the Common Bio-Medical Waste Treatment Facility Operator through which waste are disposed of	Hoswin Incinerator Pvt. Itd
17	Do you have bio-medical waste management committee? If yes, minutes of the meetings held during the reporting period	⊙Yes ○No
Details of Trainings conducted on Bio Medical Waste Management		
18	Number of Trainings conducted on BMW Management	4
19	Number of Personnel Trained	2
20	Number of Personnel Trained at the time of Induction	
21	Number of Personnel not undergone any Training so far	0
22	Whether standard manual for Training is available ?	○Yes •No
23	Any other information	
Details of the accident occurred during the year		
24	Number of Accident occurred	0
25	Number of the persons affected	0
26	Remedial Action taken (details if any)	Not applicable
27	Any Fatality Occurred, details	0
28	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	⊙Yes ○No
29	Details of Continuous Online Emission Monitoring systems installed	Not applicable
30	Liquid waste generated and treatment methods in place . How many times	STP

	you have not met the standards in a year	
31	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	• Yes O No
32	Any other relevant information	
		Update